

ORDINANCE NO. 13,996

AN ORDINANCE to amend the Municipal Code of the City of Des Moines, Iowa, 2000, adopted by Ordinance No. 13,827, passed June 5, 2000, and amended by Ordinance No. 13,910, passed January 22, 2001, by repealing paragraph (f)(1) of Section 102-329 thereof and enacting a new paragraph (f)(1) of Section 102-329, relating to the width of skywalk corridors.

Be It Ordained by the City Council of the City of Des Moines, Iowa:

Section 1. That the Municipal Code of the City of Des Moines, Iowa, 2000, adopted by Ordinance No. 13,827, passed June 5, 2000, and amended by Ordinance No. 13,910, passed January 22, 2001 is hereby amended by repealing paragraph (f)(1) of Section 102-329 thereof and enacting a new paragraph (f)(1) of Section 102-329, relating to the width of skywalk corridors, as follows:

**Sec. 102-329. Development criteria.**

-----  
(f) Skywalk corridors shall conform to the following minimum design standards:

(1) *Width.*  
Skywalk corridors shall have a minimum width of 14 feet free and clear of any obstructions or intrusions. However, in

the following  
circumstances,  
the lesser  
widths  
specified may  
be allowed:

a.  
Where  
a  
column,  
pipe  
or  
other  
integral  
structural  
feature  
or  
member  
of  
an  
existing  
building  
will  
intrude  
into  
a  
skywalk  
corridor  
,  
such  
corridor

and  
the  
ease  
ment  
ther  
efor  
shal  
l be  
for  
that  
narr  
ower  
widt  
h  
for  
the  
mini  
mum  
dist  
ance  
whic  
h is  
nece  
ssar  
y to  
prev  
ent  
such  
intr  
usio  
n.

b.  
Wher  
e a  
skyw  
alk  
corr  
idor  
is  
cons  
truc  
ted  
over  
an

alle  
y or  
vaca  
ted  
alle  
y  
betw  
een  
exis  
ting  
buil  
ding  
s,  
and  
wher  
e a  
colu  
mn,  
pipe  
or  
othe  
r  
inte  
gral  
stru  
ctur  
al  
feat  
ure  
or  
memb  
er  
of  
an  
exis  
ting  
buil  
ding  
or  
buil  
ding  
s  
rest  
rict  
the  
avai  
labl

e  
width  
h  
for  
cons  
truc  
tion  
of  
the  
skyw  
alk  
corr  
idor

,  
such  
corr  
idor  
and  
the  
ease  
ment  
ther  
efor  
shal  
l be  
of  
the  
maxi  
mum  
width  
h  
that  
can  
reas  
onab  
ly  
be  
cons  
truc  
ted,  
such  
redu  
ced  
width  
h  
shal  
l be

for  
the  
mini  
mum  
dist  
ance  
poss  
ible

,  
and  
no  
port  
ion  
of  
the  
corr  
idor  
shal  
l be  
less  
than  
13  
feet  
free  
and  
clea  
r of  
any  
obst  
ruct  
ions  
or  
intr  
usio  
ns.

c.  
Wher  
e  
the  
ease  
ment  
for  
a  
skyw

alk  
corr  
idor  
is  
in a  
buil  
ding  
corr  
idor  
alre  
ady  
cons  
truc  
ted  
as  
of  
July  
3,  
1980

,  
such  
skyw  
alk  
corr  
idor  
shal  
l  
have  
a  
mini  
mum  
widt  
h of  
12  
feet  
free  
and  
clea  
r of  
any  
obst  
ruct  
ions  
or  
intr  
usio  
ns.

d.  
The  
city  
coun  
cil  
in  
its  
disc  
reti  
on  
may  
acce  
pt a  
righ  
t to  
an  
ease  
ment  
for  
a  
skyw  
alk  
corr  
idor  
14  
feet  
in  
widt  
h  
and  
may  
rest  
rict  
the  
actu  
al  
widt  
h of  
the  
ease  
ment  
for  
a  
skyw  
alk



corr  
idor  
to  
no  
less  
than  
12  
feet  
in  
thos  
e  
situ  
atio  
ns  
wher  
e on  
one  
side  
of  
the  
skyw  
alk  
corr  
idor  
any  
barr  
icad  
e  
wall  
or  
othe  
r  
phys  
ical  
barr  
ier  
or  
obst  
ruct  
ion,  
incl  
udin  
g  
but  
not  
limi  
ted

to  
chai  
nlin  
k  
mesh

,  
clea  
r  
glas  
s or  
othe  
r  
mate  
rial

,  
whic  
h  
stan  
ds  
or  
is  
erec  
ted  
or  
plac  
ed  
betw  
een  
such  
corr  
idor  
and  
the  
abut  
ting  
priv  
ate  
prop  
erty  
inte  
rest

,  
meet  
s  
all  
of  
the

following  
criteria  
during  
the  
regular  
hours  
the  
building  
or  
business  
in  
which  
the  
skywalk  
corridor  
is  
located  
is  
open  
:

1.  
Such  
physical  
barrier  
or  
obstruction  
comprise

s no  
more  
than  
40  
perc  
ent  
of  
the  
area  
of  
the  
vert  
ical  
plan  
e  
betw  
een  
floo  
r  
and  
ceil  
ing  
runn  
ing  
para  
llel  
to  
and  
at  
the  
edge  
of  
such  
corr  
idor  
thro  
ugh  
such  
prop  
erty  
inte  
rest  
.

2.  
In  
thos  
e  
open  
port  
ions  
of  
such  
area  
s  
wher  
e  
such  
barr  
ier  
does  
not  
exte  
nd  
from  
floo  
r to  
ceil  
ing,  
the  
priv  
ate  
prop  
erty  
inte  
rest  
may  
plac  
e or  
stan  
d  
temp  
orar  
y  
obst  
ruct  
ions  
with  
in  
the  
14-

foot  
right  
to  
an  
ease  
ment  
area  
but  
with  
out  
the  
12-  
foot  
ease  
ment  
on  
the  
open  
side  
, so  
long  
as  
no  
such  
obst  
ruct  
ion  
shal  
l be  
plac  
ed  
or  
stoo  
d  
with  
in  
the  
14-  
foot  
right  
to  
an  
ease  
ment  
widt  
h  
whic

h  
exce  
eds  
36  
inch  
es  
in  
heig  
ht  
meas  
ured  
from  
the  
floo  
r  
and/  
or  
the  
ceil  
ing;  
prov  
ided  
,  
howe  
ver,  
that  
any  
such  
temp  
orar  
y  
obst  
ruct  
ion  
affi  
xed  
to  
the  
ceil  
ing  
must  
not  
exte  
nd  
lowe  
r  
than

seven  
feet  
above  
the  
floor.

Where  
such  
open  
spaces  
exist  
on  
both  
sides  
of  
such  
corridor

,  
such  
intrusion  
shall  
be  
limited  
to a  
total  
of  
two  
feet  
divided  
between  
the  
two  
sides  
of  
the  
corridor



at  
the  
priv  
ate  
prop  
erty  
inte  
rest  
's  
disc  
reti  
on;  
prov  
ided  
,  
howe  
ver,  
that  
the  
amou  
nt  
of  
intr  
usio  
n on  
each  
side  
of  
the  
corr  
idor  
shal  
l be  
unif  
orm  
for  
the  
leng  
th  
of  
such  
corr  
idor  
thro  
ugh  
the  
priv

ate  
prop  
erty  
.

Door  
s  
whic  
h  
are  
norm  
ally  
clos  
ed  
but  
whic  
h  
open  
into  
a  
skyw  
alk  
corr  
idor  
shal  
l  
not  
be  
deem  
ed  
barr  
iers  
,  
obst  
ruct  
ions  
, or  
intr  
usio  
ns  
as  
refe  
rred  
to  
in

this  
subs  
ecti  
on.  
Door  
s  
that  
are  
prov  
ided  
for  
fire  
prot  
ecti  
on  
or  
for  
atmo  
sphe  
ric  
pres  
sure  
cont  
rol  
with  
a  
tota  
l  
open  
ing  
widt  
h of  
ten  
feet  
eigh  
t  
inch  
es  
or  
more  
shal  
l  
not  
be  
deem  
ed  
barr

iers  
,  
obst  
ruct  
ions  
or  
intr  
usio  
ns  
as  
refe  
rred  
to  
in  
this  
subs  
ecti  
on.

----  
----  
----  
----  
----  
----  
----  
----

Sec. 2. This ordinance shall be in full force and effect from and after its passage and publication as provided by law.

FORM APPROVED:

Roger K. Brown, Assistant City Attorney

Preston Daniels, Mayor

Attest:

I, Donna Boetel-Baker, City Clerk of the City of Des Moines, Iowa, hereby certify that the above and foregoing is a true copy of an ordinance (Roll Call No. 01-2915), passed by the City Council of said City at a meeting held September 24, 2001, signed by the Mayor on September 24, 2001, and published as provided by law in the Business Record on October 8, 2001. Authorized by Publication Order No. 1905.

Donna Boetel-Baker, MMC City Clerk