

Agenda Item Number

Date	March 9, 2020	

Communications from Downtown Community Alliance requesting approval of banner designs in downtown Des Moines on behalf of the following groups:

- (A) Iowa State University for up to 20 banners on 10 poles beginning April.
- (B) Des Moines Farmers' Market for up to 40 banners on 40 poles beginning April.
- (C) Iowa State Fair for up to 68 banners on 34 poles beginning July.

Moved by	to	receive,	file	and	approve	3
----------	----	----------	------	-----	---------	---

COUNCIL ACTION	YEAS	NAYS	PASS	ABSENT
COWNIE				
BOESEN				
GATTO				
GRAY				
MANDELBAUM				
VOSS				
WESTERGAARD				
TOTAL				
MOTION CARRIED			A T	DDOVED

MOTION CARRIED APPROVED

_ Mayor

CERTIFICATE

I, P. Kay Cmelik, City Clerk of said City hereby certify that at a meeting of the City Council of said City of Des Moines, held on the above date, among other proceedings the above was adopted.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal the day and year first above written.

0.1	Clerk
IIV	Clerk
 	CICIII

DSM USA



March 2, 2020

The Honorable Members of the City Council City of Des Moines 400 Robert D. Ray Drive Des Moines, Iowa 50309

Dear Honorable Members of the City Council:

On behalf of the Iowa State Fair, Iowa State University, and the Des Moines Farmers' Market, I am submitting the attached banner designs for your approval. If the designs are approved, the Downtown Community Alliance will facilitate the display of up to 68 banners on 34 poles in downtown Des Moines for the Iowa State Fair beginning the first week of July, up to 20 banners on 10 poles in downtown Des Moines for Iowa State University beginning April, and up to 40 banners on 40 poles for the Des Moines Farmers' Market beginning April.

Thank you for your positive consideration.

Sincerely,

Abby Doster

Downtown Community Alliance

Enclosure: Banner designs

14" h for 6" pole sleeve - (solid color recommended)

fold (top of finished size)ordered banner size: 30"w x 96"h

← start of pole sleeve

→ overall width and height (bleed area): 32"w x 112"h

- art safe area: 28"w x 78"h (1.5" from start of pole pocket)

BEST MBA IN DSM—AGAIN!

IOWA STATE UNIVERSITY

Ivy College of Business

← start of pole sleeve

—fold (bottom of finished size)

14" h for 6" pole sleeve (solid color recommended)





IowaState**Fair**

AUG 13-23



IowaState**Fair**

AUG 13-23